Oil and Grease Pumps

Outstanding Performance and Reliability





PROVEN QUALITY. LEADING TECHNOLOGY.

Built to Last

Field-Proven Reliability

For nearly 50 years, Graco Fire-Ball pumps have been a mainstay in the lubrication marketplace for durability and long life. Designed for the toughest applications, the Fire-Ball repeatedly outperforms and outlasts the competition.

Performance Runs in the Family

The LD Series pump family offers a hard working solution designed for lower volume applications. Proven technologies are engineered into each pump and packaged together for an affordable, flexible and still incredibly durable solution.

Install It and Forget About It!

Graco pumps are built to last. With so many innovative maintenance-saving features, Graco pumps reduce downtime and save you money. No matter what fluid you're pumping Graco has a quality solution for your low, medium or high volume application.



LD[™] Series Pumps

Designed To Perform

Graco introduced the famous Fireball[®] Pump more than 50 years ago. And today our standards are the same: innovative technology that performs with the best on the market. The LD Series is the next generation of Graco pumps designed to perform in an entry level space. Innovative technologies that are more affordable than ever and a category leading five year warranty make LD Series Pumps a smart choice.

Spend Less Time and Money on Service

Constructed to withstand the toughest environments, Graco pumps have fewer moving parts for less repair, minimal downtime and many years of reliable service.

Typical Fluids

- Lubricating Grease
- Petroleum and Synthetic Motor Oil
- Hydraulic Oil
- Gear Oil
- Automatic Transmission Fluid
- Undercoating and Rust-proofing



Durable

Thick cast aluminum air motor housing offers unmatched durability.

Fewer Repairs

Fewer moving parts in the air motor assembly means less downtime and low repair cost.

Extended Seal Life

In-line pump design aligns the air motor piston and fluid piston rods to maximize seal life.

Reduce Downtime

Displacement rods have minimal wear due to a proprietary Graco manufacturing process.

Superior Sealing


Non-metallic poppet valves offer positive sealing performance, even with contaminated "dirty" air environments for long life without repair.

Reduced Icing

Large air porting design provides efficient use of compressed air supply for continuous pump operation and reduced icing.

Corrosion-Resistant

Corrosion-resistant design utilizes liquid salt nitriding, nickel plating, stainless steel, aluminum and chrome on key components for longer life.



³all 300

6

www.graco.com

Three Inch Air Motor

Provides more power to create better flow.

Innovative Air Valve

Designed to reduce icing in continuous use applications Easy to repair or replace without tearing down internal pump components for less downtime.

Engineered for Durability

Patent-pending cup and plate design eliminates the need for O-rings that wear out faster for a more durable, longer-lasting solution.

Modular Air Valve

Air inlet and exhaust locations are easy to configure with just four bolts for simple, hassle free installations.

Pilot Valve

Patent-pending self cleaning design increases reliability in dirty air environments and minimizes pressure drop with rapid changeovers for reduced stalling and smoother flow.

Adjustable Bung Adapter Included

Built-in slide adjustment with easy-set hand screws can fit into more applications.

Built-In Thermal Relief and Inlet Strainer

Built-in thermal relief (oil only) protects your equipment from thermal expansion without the need to buy and install an additional kit. Inlet strainer (oil only) is built-in to protect pump from contaminants that can damage your pump.







 Dispense Points
 1-2

 Annual Usage
 Up to 20,000 gal/oil*

 Line Length
 Up to 300 ft (91 m)

*75,000 liters and up to 7,000 lbs (3,175 kg) for grease





*132,000 liters and up to 10,000 lb (4,535 kg) for grease

LD Series[™] Pumps

Amazing Performance at an Amazingly Competitive Price

These affordable and full featured pumps are designed for low volume applications to provide long life and serviceability. LD^{\sim} has a powerful three inch air motor to deliver the fluids you need while the built-in thermal relief protects your equipment from thermal expansion.

• Available in 3:1 or 5:1 for oil and 50:1 for grease

Mini Fire-Ball® 225

Perfect for Medium Pressure, Low Volume Applications

You can't afford downtime, especially when your shop is small and your work force depends on equipment performance. An engineered design with fewer moving parts means less to wear out, reduced downtime and more profit for your business.

• Available in 3:1 for oil and 50:1 for grease

Fire-Ball[®] 300

Ideal for Medium Sized Shops with High Pressure Grease Dispense and Oil Transfer

Install the Fire-Ball 300 in high pressure, medium volume oil and grease dispense applications such as automotive dealerships, fast lube centers and service shops. A three inch differential air motor ensures smooth pumping and the smooth double-acting pump design provides reliable fluid flow and accurate dispense.

• Available in 5:1 for oil and 15:1 or 50:1 for grease

Fire-Ball[®] 425

The Pump of Choice for Your Most Demanding High Volume Applications!

The Fire-Ball 425 features a large 4.25 inch air motor to supply the power you need for long pipe runs and higher volume dispensing. An Ideal choice for applications such as truck fleet service facilities and in-plant applications where multiple dispenses happen at the same time. The Fire-Ball 425 delivers field-proven durability for multiple fluid types and exceptional cost savings that are hard to beat!

• Available in 3:1, 6:1, 10:1 for oil and 10:1, 50:1 or 75:1 for grease



Mini Fire-Ball 225 Dispense Points 1-2 Annual Usage Up to 30,000 gal/oil*

Line Length Up to 250 ft (76 m)

*113,500 liters and up to 10,000 lb (4,535 kg) for grease





AMERICAS

MINNESOTA Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

MAILING ADDRESS P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

EUROPE

BELGIUM European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd. Suite 17, 2 Enterprise Drive Bundoora, Victoria 3083 Australia Tel: 61 3 9468 8500 Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd. Shanghai Representative Office Building 7 1029 Zhongshan Road South, Huangpu District Shanghai, 200011 The People's Republic of China Tel: 86 21 649 50088 Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd. India Liaison Office Room 443, Augusta Point Regus Business Centre 53 Golf Course Road Gurgaon, Haryana India 122001 Tel: 91 124 435 4208 Fax: 91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc. Shinhan Bank Building 4th Floor #1599 Gwanyang-Dong, Dongan-Ku, Anyang-si, Korea 431-060 Tel: 82 31 476 9400 Fax: 82 31 476 9801

©2012 Graco Inc. 300653 Rev. C 1/12 All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.



Graco's got you covered

Facilities Worldwide for Global Support







Quality First

At Graco we pride ourselves on providing best-in-class products. Engineered solutions are manufactured in our own facilities, with the highest standards in the industry. We provide you with world-class customer support and expertise to help solve your lubrication challenges.

Global Reach

Graco has facilities across the globe to provide you with the products and service *you* need, where *you* live. Plus, Graco has dedicated field experts in all areas of the world to support the products we sell.

Product Capabilities

Graco has a broad range of products to provide solutions that meet your needs. Our products are engineered and tested to perform in the harshest environments so you can be certain your equipment is protected and working at peak performance.

Contact us today!



Call **800-533-9655** to speak with a Graco representative, or visit **www.graco.com** for more information.